

[10191/1958]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

SPANGLMEIER et al.

Serial No.

09/936,847

Filed

For

June 4, 2002

. __ .

ELECTROCHEMICAL GAS SENSOR

Art Unit

1753

Examiner

Ta Tung

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.Q. Box 1450

Alexandria, VA 22313-1450, on

Mail Stop Non-Fee Amendment Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Amela Otanaa aa

12 maget

DERVIS MAGISTRE KENYON & KENYOM

AMENDMENT TRANSMITTAL

SIR:

Please find an Amendment transmitted herewith for filing in the above-identified patent application.

No fee is believed to be required. However, if any fee is required, please use Deposit Account No. 11-0600. A duplicate copy of this transmittal letter is enclosed for that purpose.

Respectfully submitted,

KENYON & KENYON

By: L& maget (Ry. No. 41, 172)

By:

Thicked 7. maye

Richard L. Mayer Reg. No. 22,490

One Broadway

New York, NY 10004

(212) 425-7200

Dated: 5/19/03

MAY 2 1 2003 W

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s)

:

SPANGLMEIER et al.

Serial No.

:

09/936,847

Filed

June 4, 2002

For

ELECTROCHEMICAL GAS SENSOR

Art Unit

1753

Examiner

Ta Tung

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on

Date 5/19/0

Atty's Rog. # 41,172

[10191/1958]

Atty's Signature

DERVIS MAGISTRE KENYON & KENYON

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT

SIR:

In response to the Office Action mailed on February 18, 2003, reconsideration and allowance of the above-referenced application are respectfully requested in view of the following amendments and remarks.

IN THE SPECIFICATION AND ABSTRACT:

In accordance with 37 C.F.R. §1.121(b)(3), a Substitute Specification (including the Abstract, but without claims) accompanies this response. It is respectfully requested that the Substitute Specification (including Abstract) be entered to replace the Specification of record.

IN THE CLAIMS:

On the first page of the claims, first line, change "What is claimed is:" to:

--What Is Claimed Is:--.

ΑI

Please cancel original claims 1 to 11, without prejudice, and also cancel substitute claim 1, without prejudice, in the underlying PCT Application No. PCT/DE00/00754.